

TABLE OF LAPLACE TRANSFORMS Revision E

By Tom Irvine

Email: tomirvine@aol.com

July 20, 2000

Operation Transforms		
N	F(s)	f(t), t ≥ 0
1.1	$Y(s) = \int_0^{\infty} \exp(-st)y(t)dt$	y(t), definition of Laplace transform
1.2	Y(s)	$y(t) = \frac{1}{j2\pi} \int_{c-j\infty}^{c+j\infty} \exp(st)Y(s) ds,$ inversion formula
1.3	sY(s) - y(0)	y'(t), first derivative
1.4	s ² Y(s) - sy(0) - y'(0)	y''(t), second derivative
1.5	$s^n Y(s) - s^{n-1}[y(0)]$ $- s^{n-2}[y'(0)] - \dots - s[y^{(n-2)}(0)]$ $- [y^{(n-1)}(0)]$	y ⁽ⁿ⁾ (t), nth derivative
1.6	$\frac{1}{s} F(s)$	$\int_0^t Y(\tau)d\tau,$ integration
1.7	F(s)G(s)	$\int_0^t f(t-\tau)g(\tau)d\tau,$ convolution integral
1.8	$\frac{1}{\alpha} F\left(\frac{s}{\alpha}\right)$	f(αt)
1.9	F(s - α)	exp(αt) f(t), shifting in the s plane

Function Transforms		
N	F(s)	f(t), t ≥ 0
2.1	1	$\delta(t)$, unit impulse at t = 0
2.2	s	$\frac{d}{dt} \delta(t)$, doublet impulse at t = 0
2.3	$\exp(-\alpha s)$, $\alpha \geq 0$	$\delta(t - \alpha)$
2.4	$\frac{1}{s}$	u(t), unit step
2.5	$\frac{1}{s} \exp(-\alpha s)$	u(t - α)
2.6	$\frac{1}{s^2}$	t
2.7a	$\frac{1}{s^n}$, n=1, 2, 3,....	$\frac{t^{n-1}}{(n-1)!}$
2.7b	$\frac{n!}{s^{n+1}}$, n=1, 2, 3,....	t ⁿ
2.8	$\frac{1}{s^k}$, k is any real number > 0	$\frac{t^{k-1}}{\Gamma(k)}$, the Gamma function is given in Appendix A
2.9	$\frac{1}{s + \alpha}$	$\exp(-\alpha t)$
2.10	$\frac{1}{(s + \alpha)^2}$	t exp(- αt)

Function Transforms		
N	F(s)	f(t), t ≥ 0
2.11	$\frac{1}{(s + \alpha)^n}, \quad n=1, 2, 3, \dots$	$\left[\frac{t^{n-1}}{(n-1)!} \right] \exp(-\alpha t)$
2.12	$\frac{\alpha}{s(s + \alpha)}$	$1 - \exp(-\alpha t)$
2.13	$\frac{1}{(s + \alpha)(s + \beta)}, \quad \beta \neq \alpha$	$\frac{1}{(\beta - \alpha)} [\exp(-\alpha t) - \exp(-\beta t)]$
2.14	$\frac{1}{s(s + \alpha)(s + \beta)}, \quad \beta \neq \alpha$	$\frac{1}{\alpha\beta} + \frac{\exp(-\alpha t)}{\alpha(\alpha - \beta)} + \frac{\exp(-\beta t)}{\beta(\beta - \alpha)}$
2.15	$\frac{\alpha}{s^2 + \alpha^2}$	$\sin(\alpha t)$
2.16	$\frac{s}{s^2 + \alpha^2}$	$\cos(\alpha t)$
2.17	$\frac{s^2 - \alpha^2}{s^2 + \alpha^2}$	$t \cos(\alpha t)$
2.18	$\frac{1}{s(s^2 + \alpha^2)}$	$\frac{1}{\alpha^2} [1 - \cos(\alpha t)]$
2.19	$\frac{1}{(s^2 + \alpha^2)^2}$	$\frac{1}{2\alpha^3} [\sin(\alpha t) - \alpha t \cos(\alpha t)]$
2.20	$\frac{s}{(s^2 + \alpha^2)^2}$	$\frac{1}{2\alpha} [t \sin(\alpha t)]$
2.21	$\frac{s^2}{(s^2 + \alpha^2)^2}$	$\frac{1}{2\alpha} [\sin(\alpha t) + \alpha t \cos(\alpha t)]$

Function Transforms		
N	F(s)	f(t), t ≥ 0
2.22	$\frac{1}{(s^2 + \omega^2)(s^2 + \alpha^2)}, \alpha \neq \omega$	$\left\{ \frac{1}{\omega^2 - \alpha^2} \right\} \left\{ \frac{1}{\alpha} \sin(\alpha t) - \frac{1}{\omega} \sin(\omega t) \right\}$
2.23	$\frac{\alpha}{s^2(s + \alpha)}$	$t - \frac{1}{\alpha} [1 - \exp(-\alpha t)]$
2.24	$\frac{\beta}{(s + \alpha)^2 + \beta^2}$	$\exp(-\alpha t) \sin(\beta t)$
2.25	$\frac{s + \alpha}{(s + \alpha)^2 + \beta^2}$	$\exp(-\alpha t) \cos(\beta t)$
2.26	$\frac{s + \lambda}{(s + \alpha)^2 + \beta^2}$	$\exp(-\alpha t) \left\{ \cos(\beta t) + \left[\frac{\lambda - \alpha}{\beta} \right] \sin(\beta t) \right\}$
2.27	$\frac{s + \alpha}{s^2 + \beta^2}$	$\frac{\sqrt{\alpha^2 + \beta^2}}{\beta} \sin(\beta t + \phi), \phi = \arctan\left(\frac{\beta}{\alpha}\right)$
2.28	$\frac{1}{s^2 - \alpha^2}$	$\frac{1}{\alpha} \sinh(\alpha t)$
2.29	$\frac{s}{s^2 - \alpha^2}$	$\cosh(\alpha t)$
2.30	$\arctan\left(\frac{\alpha}{s}\right)$	$\frac{1}{t} \sin(\alpha t)$
2.31	$\frac{1}{\sqrt{s}}$	$\frac{1}{\sqrt{\pi t}}$
2.32	$\frac{1}{\sqrt{s + \alpha}}$	$\frac{1}{\sqrt{\pi t}} \exp[-\alpha t]$

Function Transforms		
N	F(s)	f(t), t ≥ 0
2.33	$\frac{1}{\sqrt{s^3}}$	$2\sqrt{\frac{t}{\pi}}$
2.34	$\frac{1}{\sqrt{s^2 + \alpha^2}}$	$J_0(\alpha t)$, Bessel function given in Appendix A
2.35	$\frac{1}{(s^2 + \alpha^2)^{3/2}}$	$\left(\frac{t}{\alpha}\right) J_1(\alpha t)$
2.36	$\frac{1}{\sqrt{s^2 - \alpha^2}}$	$I_0(\alpha t)$, Modified Bessel function given in Appendix A
2.37	$\frac{1}{(s^2 - \alpha^2)^{3/2}}$	$\left(\frac{t}{\alpha}\right) I_1(\alpha t)$

References

1. Jan Tuma, Engineering Mathematics Handbook, McGraw-Hill, New York, 1979.
2. F. Oberhettinger and L. Badii, Table of Laplace Transforms, Springer-Verlag, N.Y., 1972.
3. M. Abramowitz and I. Stegun, editors, Handbook of Mathematical Functions With Formulas, Graphs, and Mathematical Tables, National Bureau of Standards, Washington, D.C., 1964.

APPENDIX A

Gamma Function

Integral

$$\Gamma(x) = \int_0^{\infty} t^{x-1} e^{-t} dt, \quad x > 0 \quad (\text{A-1})$$

Series

$$\Gamma(x) = \lim_{n \rightarrow \infty} \left\{ \frac{n^x n!}{x(x+1)(x+2)\dots(x+n)} \right\} \quad (\text{A-2})$$

Bessel Function of the First Kind

Zero Order

$$J_0(x) = 1 - \frac{(x/2)^2}{(1!)^2} + \frac{(x/2)^4}{(2!)^2} - \frac{(x/2)^6}{(3!)^2} + \dots \quad (\text{A-3})$$

First Order

$$J_1(x) = \frac{x}{2} \left[1 - \frac{(x/2)^2}{2(1!)^2} + \frac{(x/2)^4}{3(2!)^2} - \frac{(x/2)^6}{4(3!)^2} + \dots \right] = -\frac{d}{dx} [J_0(x)] \quad (\text{A-4})$$

Modified Bessel Function of the First Kind

Zero Order

$$I_0(x) = 1 + \frac{(x/2)^2}{(1!)^2} + \frac{(x/2)^4}{(2!)^2} + \frac{(x/2)^6}{(3!)^2} + \dots \quad (\text{A-5})$$

First Order

$$I_1(x) = \frac{x}{2} \left[1 + \frac{(x/2)^2}{2(1!)^2} + \frac{(x/2)^4}{3(2!)^2} + \frac{(x/2)^6}{4(3!)^2} + \dots \right] = \frac{d}{dx} [I_0(x)] \quad (\text{A-6})$$